








Fanvil i506W SIP Indoor Station

Description

Fanvil i506W is a 10.1-inch color touch screen indoor station with 8 alarm inputs and an industrial power socket interface. Primarily utilized in residential communities, villas, office buildings, and other locations, it serves to answer calls from the entrance, engage in intercom conversations with the entrance unit, and remotely unlock the entrance unit. It offers reliable security and convenient visitor call services for a wide range of users, creating a safe and comfortable living environment.

Main Features

-  10.1-inch color capacitive touch screen provides a more convenient user experience
-  Built-in 2W speaker and AEC algorithm, it achieves high-quality two-way hands-free calling
-  Check real-time video of third-party IP cameras and door phone to ensure security
-  Rich interfaces facilitate the integration of various sensors, enabling comprehensive home security monitoring
-  Powered by PoE or external source



Community



Specifications

Panel type	Community, Hotel, Villa
Screen	10.1-inch color capacitive touch screen(IPS) 1280×800
Body	ABS
Speaker	2W
Wi-Fi	2.4G/5G
Interface	8×Alarm input, 1×Short circuit output, 1×Doorbell input, 1×RS485(Reserved)
Network	10/100 Mbps adaptive
Power Supply	DC 12V / 1A PoE 802.3af
Power Consumption	PoE: 2.6~6.6W Adapter: 1.98~5.5W
Working Temperature	-10°C~50°C
Storage Temperature	-40°C~80°C
Working Humidity	10%~90%
Size (LWH)	247.96x156.96x25.6mm
Installation	Wall-mounted

Functional Capabilities

Supported Protocols	SIP 2.0 over UDP/TCP/TLS
Audio	Narrowband audio codec: G.711A/U, G.723.1, G.726-16/24/32/40, G.729AB, iLBC Broadband audio codec: G.722, OPUS Full-duplex hands-free calling, supports Acoustic Echo Cancellation (AEC)
Video	Hardware video decoding: H.264, H.265 (Option) Video call resolution: QVGA / CIF / VGA / 4CIF / 720P / 1080P
DTMF	In-band, out-of-band DTMF (RFC2833), SIP Info
Do Not Disturb (DND)	Supported, and the time can be user-defined
Additionally	Supports viewing video from third-party IP cameras Supports customizing incoming call ringtones Supports remote door unlocking Supports sending/receiving messages